

RECEIVED  
CENTRAL FAX CENTER

APR 04 2007

U.S. Patent Application No. 09/608,575

Amendment to the Claims

Please amend the Claims as follows:

- 5 1. (currently amended) A computer implemented method of generating an enhanced profile of an individual entity, the profile including for each member of the individual entity, a single observation having at least one variable describing historical transactions pertaining to that member, the method comprising the steps of:
- 10 on a first pass through transaction data, sorting data by one single entity, defined as a target entity, computing respective variables, and creating target profiles in a target dataset;
- 15 on a second and independent pass through said transaction data, sorting the transaction data by each member of a second and different entity, computing second and different entity variables, and creating second and different entity profiles in a second and different entity dataset;
- 20 on a third and independent pass through the transaction data, sorting by each target and second and different entity pair, computing target and second and different entity pair variables, and creating a target and second and different entity pair profiles in a target and second and different entity pair dataset, defined as a multiple entity dataset;
- 25 responsive to creating said target dataset, said second and different entity dataset, and said target and second and different entity pair dataset, applying an enhance process comprising combining the second and different entity variables and the target and second and different entity pair variables and producing an enhanced target and second and different entity pair dataset; and
- 30 responsive to producing the enhanced target and second and different entity pair dataset, merging the target dataset and the enhanced target and second and different entity pair dataset by the target, rolling up across all members of the second and different entity that interacted with members of the target entity, and producing an enhanced target profile dataset;
- wherein ~~said enhanced profile dataset comprises a first entity target profile of said target entity that includes [[an]] a multiple targets activity variable that measures, for a first member of said first target entity, the activity of a second member of the first target entity, wherein said second member of said first entity which interacts interacted~~

U.S. Patent Application No. 09/606,575

with a member of [[a]] the second and different entity, wherein the member of the second and different entity had interacted with said first member of said first target entity.

5 2. (canceled)

3. (original) The method of Claim 1, further comprising:

10 providing at least one of a single entity profile, an enhanced profile, or a multiple entity profile as an input into a predictive model for predicting a transaction pertaining to an entity included in the profile.

4. (original) The method of Claim 1 further comprising:

15 providing at least one of a single entity profile, an enhanced profile, or a multiple entity profile as an input into a profile of a different entity.

5. (original) The method of Claim 1, further comprising:

20 deriving from at least one of a single entity profile, an enhanced profile, or a multiple entity profile statistics which summarize transactions pertaining to an entity included in the profile.

6. (original) The method of Claim 1, wherein each profile includes a plurality of variables, and generating at least one single entity profile of an individual entity having individual members further comprises:

25 for each member of an entity:  
determining a peer group of the member; and  
normalizing at least one profile variable of the entity with respect to the member's distance from other members in the member's peer group.

7. (original) The method of Claim 3, wherein a member's peer group is determined by a  
30 declared specialty of the member.

8. (original) The method of Claim 3, wherein a member's peer group is determined by transactions engaged in by the member.

35 9. (original) The method of Claim 1, wherein the entities are healthcare related entities.

U.S. Patent Application No. 09/606,575

10. (original) The method of Claim 1, wherein the entities include healthcare providers and patients.

5 11. (original) The method of Claim 1, wherein the entities include a healthcare related facility.

12. (original) The method of Claim 1, wherein the entities include a healthcare Claims processor.

10 13. (original) The method of Claim 10, wherein at least one multiple entity is a combination of a provider and a patient.

14. (original) The method of Claim 10, wherein an entity profile of a provider entity includes a procedure mix variable that measures a relative amount of activity a provider  
15 member has in each of a plurality of procedure categories.

15. (original) The method of Claim 14, wherein the amount of activity is relative to each provider member's peers.

20 16. (original) The method of Claim 14, wherein the procedure categories are defined by JDC9 codes.

17. (original) The method of Claim 14, wherein the procedure categories are defined by a clustering process on provider or patient historical transactions.

25 18. (original) The method of Claim 10, wherein an entity profile of a provider entity includes an age group concentration variable that measures activity of a provider member in each of a plurality of patient age groups relative to the provider member's peers.

30 19. (original) The method of Claim 10, wherein an entity profile of a provider entity includes a single-day activity variable that measures a frequency and magnitude of very-high activity days of a provider member.

U.S. Patent Application No. 09/606,575

20. (original) The method of Claim 10, wherein an entity profile of a provider entity includes a monthly activity variable that measures monthly activity of a provider member.

5 21. (original) The method of Claim 10, wherein the monthly activity measure is a distribution of monthly activity of a provider member relative to the provider member's peers.

10 22. (original) The method of Claim 20, wherein an entity profile of a provider entity includes a quarterly activity variable that measures quarterly activity of a provider member.

15 23. (original) The method of Claim 10, wherein an entity profile of a provider entity includes a group practice participation variable that identifies providers that are part of a group practice.

20 24. (original) The method of Claim 10, wherein an entity profile of a provider entity includes a client consecutive visit variable that measures a frequency with which a same member of a client entity visits a same provider member in a selected period of time.

25 25. (original) The method of Claim 10, wherein an entity profile of a provider entity includes a per-day activity variable that measures a provider member's daily activity level, according to at least one of:  
number of services per day;  
total dollars-paid per day;  
number of clients per day;  
total dollars-per-client per day; or  
number-of-services-per-client per day.

30 26. (original) The method of Claim 10, wherein an entity profile of a provider entity includes a per-client activity variable that measures a provider member's activity level with respect to individual client entity members over a selected time period.

35 27. (original) The method of Claim 10, wherein an entity profile of a provider entity includes a multiple providers activity variable that measures, for each provider member,

U.S. Patent Application No. 09/606,575

the activity of other provider members who provide services to clients of the provider member on a same day that the provider member provides services.

5 28. (original) The method of Claim 10, wherein an entity profile of a provider entity includes a ratio of procedure categories variable that measures for a provider member at least one ratio of one category of service provided by the provider member to another category of service provided by the provider member.

10 29. (original) The method of Claim 10, wherein an entity profile of a client includes a variable that measures an activity level of a non-repeatable service provided to a client member.

15 30. (original) The method of Claim 10, wherein an entity profile of an entity includes a variable that describes transactions of entity members with respect to the order of the transactions over time.

20 31. (currently amended) A computer implemented method of generating a profile of an entity, the profile including for each member of the entity, a single observation having at least one variable describing historical transactions pertaining to that member, the method comprising the steps of:

providing a direct profile process that generates a direct profile of an entity having members, from historical transactions of the members of the entity;

25 performing multiple applications of the direct profile process with respect to distinct entities, including at least one multiple entity comprising a combination of individual entities and interacting pairs of entities to produce respective individual and multiple entity profiles;

30 responsive to said performing multiple applications of the direct profile process, performing an enhance process that enhances the profile of a first entity using a profile of a second entity, wherein said enhanced profile of said first entity includes a multiple targets activity variable that measures, for a first member of said first entity, the activity of a second member of the first entity, which interacted with a member of said second entity, wherein the member of the second entity had interacted with said first member of said first entity; and

35 responsive to performing the enhance process, performing at least one application of the enhance process to enhance the profile of a multiple entity with the

U.S. Patent Application No. 09/606,575

profile of a single entity by combining observations in the multiple entity profile that have a common member in the single entity profile;

wherein an interacting pair of entities is itself an entity.

5 32. (currently amended) A computer implemented method of generating an enhanced profile of a 1st entity, the 1st entity having a plurality of members, the enhanced profile of the 1st entity including for each member of the 1st entity, a single observation having at least one variable describing historical transactions pertaining to that member, the method comprising the steps of:

10 providing a direct profile process that generates a direct profile of an entity having members, from historical transactions of the members of the entity;

performing an enhance process that enhances the profile of an entity using a profile of another entity by combining portions of observations of the entities that have a common member;

15 responsive to performing the enhance process, performing multiple applications of the direct profile process with respect to the 1st, 2nd, and 3rd entities to produce respective 1st, 2nd, and 3rd profiles, wherein the 3rd entity is a combination of the 1st and 2nd entities, wherein said 1st and 2nd entities are an interacting pair of entities;

20 responsive to performing multiple applications of the direct profile process, performing an application of the enhance process on the profile of the 3rd entity with the profile of the 2nd entity to produce an enhanced 3rd entity profile; and

responsive to performing the application of the enhance process of the 3<sup>rd</sup> entity, performing an application of the enhance process on the profile of the 1st entity with the enhanced profile of the 3rd entity to produce an enhanced 1st entity profile;

25 wherein an interacting pair of entities is itself an entity[.]; and

wherein said enhanced 1<sup>st</sup> entity profile includes a multiple targets activity variable that measures, for a first member of said 1<sup>st</sup> entity, the activity of a second member of the 1<sup>st</sup> entity, which interacted with a member of the 2nd entity, wherein the member of the 2nd entity had interacted with said first member of said 1<sup>st</sup> entity.

30

33. (currently amended) A computer implemented system of generating an enhanced profile of a 1st entity, the 1st entity having a plurality of members, the enhanced profile of the 1st entity including for each member of the 1st entity, a single observation having at least one variable describing historical transactions pertaining to that member, the method comprising:

35

U.S. Patent Application No. 09/608,575

direct profile means for generating a direct profile of an entity having members, from historical transactions of the members of the entity;

enhancing means for enhancing the profile of an entity using a profile of another entity by combining portions of observations of the entities that have a common member, responsive to the direct profile means; and

means for applying the direct profile means and the enhancing means in parallel and serial applications with respect to 1st, 2nd, and 3rd entities to produce respective 1st, 2nd, and 3rd profiles, wherein the 3rd entity is a combination of the 1st and 2nd interacting pair of entities to produce direct profiles of the 1st, 2nd, and 3rd entities, and to enhance the profiles of the 1st entity using profiles of the 2nd and 3rd entities, responsive to the enhancing means;

wherein an interacting pair of entities is itself an entity[.]; and

wherein said enhanced 1<sup>st</sup> entity profile includes a multiple targets activity variable that measures, for a first member of said 1<sup>st</sup> entity, the activity of a second member of the 1<sup>st</sup> entity, which interacted with a member of the 2nd entity, wherein the member of the 2nd entity had interacted with said first member of said 1<sup>st</sup> entity.

34. (currently amended) A computer implemented method of generating a profile of a entity, the 1st entity having a plurality of members, the enhanced profile of the 1st entity including for each member of the 1st entity, a single observation having at least one variable describing historical transactions pertaining to that member, the method comprising the steps of:

generating a 1st profile of a combination of a 1st and 2nd interacting pair of entities, from historical transactions pertaining to both the 1st and 2nd entities, the 1st profile including one observation for each combination of a member of the 1st entity interacting with a member of the 2nd entity;

responsive to generating a 1<sup>st</sup> profile of the combination, generating a 2nd profile of a combination of the 2nd and a 3rd entity, from historical transactions pertaining to both the 2nd and 3rd entities, the 2nd profile including one observation for each combination of a member of the 2nd entity and a member of the 3rd entity; and

responsive to generating a 2<sup>nd</sup> profile of the combination, enhancing the 1st profile using the observations of the 2nd profile that have a same member of the 1st entity and the 2nd entity, to describe a statistical relationship between the 1st entity and the 3rd entity;

wherein an interacting pair of entities is itself an entity[.]; and

U.S. Patent Application No. 09/606,575

wherein said enhanced 1<sup>st</sup> profile includes a multiple targets activity variable that measures, for a first member of said 1<sup>st</sup> entity, the activity of a second member of the 1<sup>st</sup> entity, which interacted with a member of the 2nd entity, wherein the member of the 2nd entity had interacted with said first member of said 1<sup>st</sup> entity.

5

35. (currently amended) A computer implemented method of generating a profile of an entity, comprising the steps of:

generating a profile of a 1st entity;

responsive to generating the profile, generating a profile of at least one 2nd entity

10 that interacts with the 1st entity through transactions with the 1st entity;

responsive to generating the profile of at least one 2<sup>nd</sup> entity, generating a profile of at least one 3rd entity comprising the combination of the interactive 1st and 2nd entities; and

15 responsive to generating the profile of at least one 3<sup>rd</sup> entity, enhancing the profile of the 1st entity with the profile of at least one 3rd entity;

wherein an interacting pair of entities is itself an entity[.]; and

wherein said enhanced 1<sup>st</sup> entity profile includes a multiple targets activity variable that measures, for a first member of said 1<sup>st</sup> entity, the activity of a second member of the 1<sup>st</sup> entity, which interacted with a member of the 2nd entity, wherein the member of the 2nd entity had interacted with said first member of said 1<sup>st</sup> entity.

20

36. (currently amended) A computer implemented method of generating a profile of an entity, comprising the steps of:

deriving a 1st profile of a 1st entity using transactions of the 1st entity;

25 deriving a 2nd profile of a 2nd entity that interacts with the 1st entity through transactions with the 1st entity;

responsive to deriving the 1<sup>st</sup> profile and the 2<sup>nd</sup> profile, merging the 1st and 2nd profiles and creating a merged profile representing an entity comprising interacting 1st and 2nd entities;

30 responsive to creating the merged profile, deriving a new variable from other variables of the merged profile;

responsive to deriving the new variable from other variables of the merged profile, rolling up the merged profile with respect to the new variable;

wherein an interacting pair of entities is itself an entity[.]; and

35 wherein said 1<sup>st</sup> profile includes a multiple targets activity variable that measures, for a first member of said 1<sup>st</sup> entity, the activity of a second member of the 1<sup>st</sup> entity.



U.S. Patent Application No. 09/606,575

which interacted with a member of the 2nd entity, wherein the member of the 2nd entity had interacted with said first member of said 1<sup>st</sup> entity.

37. (currently amended) A computer implemented method of generating a profile of an entity, comprising the steps of:

generating a profile of a 1st entity from historical transactions of the 1st entity, said historical transactions comprising said 1st entity interacting with at least a 2nd entity, the profile containing a plurality of variables;

responsive to generating the profile, receiving new transactions of the 1st entity; and

responsive to receiving the new transactions, updating at least one variable of the profile of the 1st entity using only the at least one profile variable and the new transactions, without using the historical transactions from which the profile was generated;

wherein an interacting pair of entities is itself an entity[.]; and

wherein said 1<sup>st</sup> entity profile includes a multiple targets activity variable that measures, for a first member of said 1<sup>st</sup> entity, the activity of a second member of the 1<sup>st</sup> entity, which interacted with a member of the at least a 2nd entity, wherein the member of the at least a 2nd entity had interacted with said first member of said 1<sup>st</sup> entity.

38. (currently amended) A computer implemented method of updating a profile of an entity, the profile including for each member of the entity, a single observation having at least one variable describing historical transactions pertaining to that member, the method comprising the steps of:

performing with respect to multiple distinct entities, multiple applications of a direct profile process that generates a direct profile of an entity having members, from historical transactions of the members of each of the entities, including at least one multiple entity comprising a combination of individual entities and interacting pairs of entities, to produce respective individual and multiple entity profiles;

responsive to producing respective individual and multiple entity profiles, applying at least one application of an enhance process to enhance the profile of a multiple entity with the profile of a single entity by combining observations in the multiple entity profile that have a common member in the single entity profile;

responsive to applying the enhance process, receiving new transactions of the multiple entity; and

U.S. Patent Application No. 09/606,575

responsive to receiving new transactions, updating at least one variable of the profile of the multiple entity using only the at least one profile variable and the new transactions, without using the historical transactions from which the profile of the multiple profile was generated;

5 wherein an interacting pair of entities is itself an entity[.]; and

wherein said profile of said multiple entity includes a multiple targets activity variable that measures, for a first member of said multiple entity, the activity of a second member of the multiple entity, which interacted with a member of the single entity, wherein the member of the single entity had interacted with said first member of said  
10 multiple entity.

39. (currently amended) A computer implemented method of generating a profile of a first entity, the profile including for each member of the first entity, a single observation having at least one variable describing historical transactions pertaining to that member,  
15 the method comprising the steps of:

generating a first profile of the entity from historical transactions pertaining to the first entity, the first profile including one observation for each member of the first entity, the observation having at least one variable summarizing the historical transactions of the member of the first entity;

20 generating a second profile of a second entity from historical transactions pertaining to the second entity, the second profile including one observation for each member of the second entity, the observation including at least one variable summarizing the historical transactions of the member of the second entity;

generating a third profile of a third entity comprising a combination of the  
25 interacting first and second entities, from historical transactions pertaining to both the first and second entities, the third profile including one observation for each combination of a member of the first entity interacting with a member of the second entity, the observation including at least one variable describing the transactions of the member of the first entity with respect to the member of the second entity;

30 responsive to generating the first, second, and third profiles, enhancing the third profile using the second profile by combining at least a portion of observations from the second profile with observations from the third profile that have a same member of the second entity, to produce an enhanced third profile; and

responsive to enhancing the third profile, enhancing the first profile using the  
35 enhanced third profile by combining at least a portion of observations from the third

U.S. Patent Application No. 09/606,575

profile with observations from the first profile that have a same member of the first entity, to produce an enhanced first profile;

wherein an interacting pair of entities is itself an entity[.]; and

wherein said enhanced first profile includes a multiple targets activity variable that measures, for a first member of said first entity, the activity of a second member of the first entity, which interacted with a member of the second entity, wherein the member of the second entity had interacted with said first member of said first entity.

40. (original) The method of Claim 39, wherein enhancing the first profile using the enhanced third profile comprises:

merging the observations from the first profile with observations of the enhanced third profile that have a same member of the first entity; and

for each member of the first entity, rolling up all observations in the first profile for the member into a single observation having at least one variable describing interactions of the member of the first entity with respect to other members of the first entity.

41. (original) The method of Claim 39, wherein enhancing the third profile using the first profile by combining observations from the first profile with observations from the third profile that have a same member of the first entity, further comprises:

merging the observations of the third profile with observations of the first profile that have a same member of the first entity; and

rolling up the observations in the merged third profile with respect to each member of the first entity, to produce the enhanced third profile containing one observation for each member of the first entity, the observation including at least one variable describing the interaction of the member of the first entity with respect to members of the second entity.

42. (currently amended) A computer implemented method of generating a profile of a Target entity, the profile including for each member of the Target entity, a single observation having at least one variable describing historical transactions pertaining to that member, the method comprising the steps of:

generating a Target profile of the Target entity from historical transactions pertaining to the Target entity, the Target profile including one observation for each Target entity member, the observation having at least one variable summarizing the historical transactions of the Target entity member;

U.S. Patent Application No. 09/608,575

generating an entity A profile of a second entity A from historical transactions pertaining to entity A, the entity A profile including one observation for each entity A member, the observation including at least one variable summarizing the historical transactions of the entity A member;

5 generating a T/A profile of a T/A entity comprising a combination of the interacting Target entity and entity A, from historical transactions pertaining to both the Target entity and A entity, the T/A profile including one observation for each combination of a Target entity member interacting with an entity A member, the observation including at least one variable describing the transactions of the Target  
10 entity member with respect to the entity A member;

responsive to generating the Target profile, the A profile, and the T/A profile, enhancing the T/A profile using the entity A profile by combining observations from the T/A profile with observations from the entity A profile that have a same entity member, to produce an enhanced T/A profile; and

15 responsive to enhancing the T/A profile, enhancing the Target entity profile using the enhanced T/A profile by combining observations from the Target profile with observations from the T/A profile that have a same entity member, to produce the Target entity profile;

wherein an interacting pair of entities is itself an entity[.]; and

20 wherein said enhanced Target entity profile includes a multiple targets activity variable that measures, for a first member of said Target entity, the activity of a second member of the Target entity, which interacted with a member of the second entity A, wherein the member of the second entity A had interacted with said first member of said Target entity.

25 43. (original) The method of Claim 42, wherein enhancing the Target entity profile using the enhanced T/A profile further comprises:

merging the observations from the Target profile with observations of the enhanced T/A profile that have a same entity member; and

30 for each entity member of the Target entity, rolling up all observations in the Target profile for the entity member into a single observation having at least one variable describing interactions of the Target entity member with respect to other Target entity members.

35 44. (original) The method of Claim 42, wherein enhancing the T/A profile using the entity A profile further comprises:

U.S. Patent Application No. 09/606,575

merging the observations of the T/A profile with portions of the observations of the entity A profile that have a same entity member; and

rolling up the observations in the merged T/A profile with respect to each entity A member, to produce the enhanced T/A profile containing one observation for each entity A member, the observation including at least one variable describing the interaction of the T/A entity member with respect to entity A members.

45. (currently amended) A computer implemented method of generating a profile of a first entity, the profile including for each member of the first entity, a single observation having at least one variable describing historical transactions pertaining to that member, the method comprising the steps of:

generating a first profile of the entity from historical transactions pertaining to the first entity, the first profile including one observation for each member of the first entity, the observation having at least one variable summarizing the historical transactions of the member of the first entity;

generating a second profile of a second entity from historical transactions pertaining to the second entity, the second profile including one observation for each member of the second entity, the observation including at least one variable summarizing the historical transactions of the member of the second entity;

generating a third profile of a third entity comprising a combination of the interacting first and second entities, from historical transactions pertaining to both the first and second entities, the third profile including one observation for each combination of a member of the first entity interacting with a member of the second entity, the observation including at least one variable describing the transactions of the member of the first entity with respect to the member of the second entity;

generating a fourth profile of a fourth entity from historical transactions pertaining to the fourth entity, the fourth profile including one observation for each member of the fourth entity, the observation including at least one variable summarizing the historical transactions of the member of the fourth entity;

generating a fifth profile of a fifth entity comprising a combination of the interacting first and fourth entity, from historical transactions pertaining to both the first and fourth entities, the fifth profile including one observation for each combination of a member of the first entity interacting with a member of the fourth entity, the observation including at least one variable describing the transactions of the member of the first entity with respect to the member of the fourth entity;

U.S. Patent Application No. 09/606,575

responsive to generating the first, second, third, fourth, and fifth profiles, enhancing the third profile using the first profile by combining observations from the first profile with observations from the third profile that have a same member of the first entity, to produce an enhanced third profile;

5 responsive to generating the first, second, third, fourth, and fifth profiles, enhancing the fifth profile using the first profile by combining observations from the first profile with observations from the fifth profile that have a same member of the first entity, to produce an enhanced fifth profile; and

10 responsive to enhancing the fifth profile, enhancing the first profile using the enhanced third profile and the enhanced fifth profile;

wherein an interacting pair of entities is itself an entity[.]; and

15 wherein said enhanced first entity profile includes a multiple targets activity variable that measures, for a first member of said first entity, the activity of a second member of the first entity, which interacted with a member of any of said second, third, fourth, and fifth entities, wherein the member of said any of said second, third, fourth, and fifth entities had interacted with said first member of said first entity.

46. (original) The computer implemented method of Claim 45, wherein enhancing the first profile using the enhanced third profile and the enhanced fifth profile further  
20 comprises:

merging the observations from the first profile with observations of the enhanced third profile that have a same member of the first entity;

merging the observations from the first profile with observations of the enhanced fifth profile that have a same member of the first entity; and

25 for each member of the first entity, rolling up all observations in the first profile for the member into a single observation having at least one variable describing interactions of the member of the first entity with respect to other members of the first entity.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**